

polyDOOR

THE ROBUST, HINGED POLYESTER ENCLOSURE

IP 66

The key product features:

- Enclosure material: glass-fibre reinforced polyester
- Enclosure surface: similar to RAL 7032
- Integrated hinges
- · Integrated viewing panel
- · Lid screws in polyamide
- Flammability: UL-94 V-0
- Enclosure seal: O-ring gasket (EPDM)

polyDOOR is a range of weather-resistant IP 66 enclosures in glass-fibre reinforced polyester that features a hinged front lid for easy access. The enclosures are ideal for industrial electronics and control equipment used in harsh indoor and outdoor applications.

Special features include integrated hinges for opening the lid, transparent front windows and optional lid fixings: slotted (standard), triangular or square head for tamper protection, and hand screws for fast access. Threaded fixing pillars are provided inside for mounting the components. polyDOOR is available in a wide range of standard sizes. Cable glands and other accessories such as terminal rails and mounting plates are also available.

We can supply polyDOOR enclosures fully customised to your requirements.

Enclosure sizes

8

Further information

Corrosion-resistant lid fastening thread made form stainless steel

Various locking screws available

Application-specific accessories available

Full protective insulation in accordance with VDE 0100

Enclosure

Polyester glass fibre reinforced, halogen-free

similar to RAL 7032, pebble grey, surface resistance< 109 Ohm

Optional: similar to RAL 9005, deep black, surface resistance< 109 Ohm

1° mould slope for casting ejection > internal circumference dimensions decrease by 1° towards enclosure bottom.

Flammability

UL 94 V-0, self-extinguishing



Fastening

Single-channel lid and assembly fastening outside of the enclosure interior Optional: External mounting brackets made from stainless steel

Internal mounting

M6 fastening thread on the enclosure floor

Ingress protection

IP 66 / EN 60529

Gasket

EPDM O-ring gasket
Optional: Silicone gasket

Lid screws

Polyamide, corrosion-resistant and captive, slotted design Optional lid screws: triangular, square and hand screw

Customising

Learn more about our full customising service for installation-ready enclosures

Our passion is enclosures.

Dh. f	N	T	1 - 2 - 1	10/2:111	11-2-1-2-2	O-shat!!	Ontional activities
Photo	No.	Туре	Length L	Width W	Height H	Gasket H	Optional available
	130.120.000	PD 120	140	120	100	Silicon-gasket	 Supporting rail for series terminals Triangular screw Mounting plates Collar-head screw External mounting brackets Cross rail Handscrew
	130.122.000	PD 122	200	120	100	Silicon-gasket	 Supporting rail for series terminals Triangular screw Mounting plates Collar-head screw External mounting brackets Cross rail Handscrew
	130.124.000	PD 124	260	120	100	Silicon-gasket	 Supporting rail for series terminals Triangular screw Mounting plates Collar-head screw External mounting brackets Cross rail Handscrew
	130.160.000	PD 160	180	160	100	Silicon-gasket	 Supporting rail for series terminals Triangular screw Mounting plates Collar-head screw External mounting brackets Cross rail Handscrew
	130.162.000	PD 162	260	160	100	Silicon-gasket	- Supporting rail for series terminals - Triangular screw - Mounting plates - Collar-head screw - External mounting brackets - Cross rail - Handscrew
	130.164.000	PD 164	340	160	100	Silicon-gasket	- Supporting rail for series terminals - Triangular screw - Mounting plates - Collar-head screw - External mounting brackets - Cross rail - Handscrew
	130.200.000	PD 200	220	200	120	Silicon-gasket	- Supporting rail for series terminals - Triangular screw - Mounting plates - Collar-head screw - External mounting brackets - Cross rail - Handscrew
	130.202.000	PD 202	320	200	120	Silicon-gasket	- Supporting rail for series terminals - Triangular screw - Mounting plates - Collar-head screw - External mounting brackets - Cross rail - Handscrew
	131.120.000	PD 120 FE	140	120	100	Silicon-gasket	 Supporting rail for series terminals Triangular screw Mounting plates Collar-head screw External mounting brackets Cross rail





131.122.000

PD 122 FE 200 120 100 Silicon-gasket

- Supporting rail for series terminals - Triangular screw - Mounting plates - Collar-head screw



Our passion is enclosures.

Photo	No.	Туре	Length L	Width W	Height H	Gasket H	Optional available
	131.124.000	PD 124 FE	260	120	100	Silicon-gasket	- Supporting rail for series terminals - Triangular screw - Mounting plates - Collar-head screw - External mounting brackets - Cross rail - Handscrew
	131.160.000	PD 160 FE	180	160	100	Silicon-gasket	- Supporting rail for series terminals - Triangular screw - Mounting plates - Collar-head screw - External mounting brackets - Cross rail - Handscrew
	131.162.000	PD 162 FE	260	160	100	Silicon-gasket	- Supporting rail for series terminals - Triangular screw - Mounting plates - Collar-head screw - External mounting brackets - Cross rail - Handscrew
	131.164.000	PD 164 FE	340	160	100	Silicon-gasket	- Supporting rail for series terminals - Triangular screw - Mounting plates - Collar-head screw - External mounting brackets - Cross rail - Handscrew
	131.200.000	PD 200 FE	220	200	120	Silicon-gasket	- Supporting rail for series terminals - Triangular screw - Mounting plates - Collar-head screw - External mounting brackets - Cross rail - Handscrew
	131.202.000	PD 202 FE	320	200	120	Silicon-gasket	- Supporting rail for series terminals - Triangular screw - Mounting plates - Collar-head screw - External mounting brackets - Cross rail - Handscrew